

25mm Aluminium Venetian



SLIMLINE ALUMINIUM VENETIANS are the ultimate blind for both privacy and heat control, without restricting your view. SLIMLINE VENETIANS are available in a large range of decorator colours, metallic, woodgrain and perforated designs. Sunlight Products offer a range of options including Privasee, Sundowner, Double Glaze and Magic Touch to suit your every installation requirement.

Available Sizes

Width:

400mm minimum - 3300mm maximum

Drop:

3300mm maximum

Maximum Area under Warranty:

6 square metres

Head Rail

Width:

25mm

Height:

24mm

Thickness:

0.5mm

Material:

Roll formed steel, painted

Colour:

Co-ordinated with blade colour

Bottom Rail

Width:

19.5mm

Height:

10mm

Thickness:

0.5mm

Material:

Roll formed steel, painted

Colour:

Co-ordinated with blade colour

Blade Sizes

Width:

25mm

Thickness:

0.21mm

Material:

High Tensile Aluminium

Cords

Dimensions:

1.4mm diameter with reinforced core

Material:

100% Polyester, heat set, non-stretch

Colour:

Co-ordinated with blade colour and ladders

Control Cords Length:

750mm unless specified

Cord Spacing:

750mm maximum spacing of lift cords

Cord Holes:
3.5mm x 11mm

Colour:
Silver

End Spacing:
100mm for widths 400-599 mm
150mm for widths above 600mm

Installation Brackets

End Mounted:
Polycarbonate transparent

Spring Loaded Centre Support:
Zinc plated steel

Bottom Rail Hold Down:
Polycarbonate transparent

String Ladders

Rung Width:
28mm

Pitch:
20mm

Material:
100% Polyester, yarn dyed , heat set, non-stretch

Colour:
Colour co-ordinated with blade colour and cords

String Ladders Standard:
Yes

Cloth Tape Ladders Optional:
No

Plastic Tape Ladders Optional:
No

Available Colours

Options

DOUBLE GLAZED VENETIAN BLIND:
Max 2000mm width x 2000mm drop.
For installation between glass panels with a control knob outside on the window frame.

SUNDOWNER VENETIAN BLIND:
Max area 6 square metres.
Holes are punched towards the back of the slat, achieving light block when closed, with no visible cord holes – the ultimate in light control

MAGIC WAND VENETIAN BLIND:
Max 2000mm width x 2000mm drop.
Cord passes through the centre of a hollow, spring loaded wand. Pull the wand to lower the blind. Pull the cord to raise the blind.

PRIVASEE VENETIAN BLIND:
Max area 6 square metres.
Front of slat at each cord hole is bent upwards to allow the blind to closer tighter than the Standard Venetian.

Tilt and Lift Components

Mechanism:
7mm Hexagonal transparent plastic wand attached to polycarbonate tilter mechanism with heavy duty metal gears for reliable operation

Colour:
Clear transparent colour

Stacking Height

Drop Of Blind 500mm:
45mm

Drop Of Blind 1000mm:
60mm

Drop Of Blind 1500mm:
70mm

Cord Lock

Material:
Knurled brass roller with cord guides in moulded steel housing

Drop Of Blind 2000mm:

80mm

Drop Of Blind 2500mm:

95mm

Child Safety

Breakaway tassels are fitted to each blind so that they will separate into 2 pieces when pressure is applied to the cords.

Cleats are also supplied to ensure that the cords can be tied up out of the way when the blind is pulled up.
